


# MI8 line optics study


---

- **Orbits**
  - Horizontal
  - Vertical
- ✓ MPØ2
- **Dispersion function**
  - Horizontal
  - Vertical
- ✓ MPØ2
- **Lattice function**
  - Sigma
  - MI injection matching
  - $\sigma_p/p$


# Orbits from HT800




# Orbits from HT802




# Orbits from HT804



# Orbits from MPØ2




# MPØ2 kick calibration




58.5 mr @ 22484 amps

# Orbits from VT803



# Orbit from VT805



# Quad current setting

DB_name		Setting	prev_set	reading	prev_read
B:MP02X1	Amps	22566.83		22484.06	
MP02T	AMPS	0		0	
B:MI8BND	AMP	1799.393		799.9719	799.5219
Q800	AMP	0		211.6619	
Q801	AMP	0		172.2619	
Q802	AMP	0		166.9559	
Q803	AMPS	0		122.2937	104.2937
Q804	Amps	0		225.7419	
Q805	Amps	0		245.5819	
Q806	Amps	0		163.9559	
Q807	Amps	0		143.3959	149.3959
Q808	Amps	0		200.1019	
Q809	Amps	0		206.1419	202.1419
Q847	Amps	0		158.9113	
Q848	Amps	0		143.9113	
Q849	Amps	0		169.6613	
Q850	Amps	0		161.3212	
Q851	Amps	0		160.0513	153.0513
Q852	Amps	0		162.8013	
B:Q800S	Amps	43.74		43.3225	
B:Q801S	Amps	42.18		41.7225	
B:Q802S	Amps	16.6		15.8425	
B:Q804S	Amps	29.44		29.2425	
B:Q805S	Amps	9.38		9.4025	
B:Q806S	Amps	18.7		18.8425	
B:Q807S	Amps	33.5		39.4025	33.4025
B:Q808S	Amps	13.88		13.8825	
B:Q809S	Amps	11.88		7.8425	11.8425
I:Q847S	Amps	10.92		10.9325	
I:Q848S	Amps	25.96		25.9325	
I:Q849S	Amps	0		0.1825	
I:Q850S	Amps	8.52		8.5225	
I:Q851S	Amps	16.8		9.7925	16.7925
I:Q852S	Amps	6.98		7.0425	
B:Q800	AMP	254.9896		254.9844	
B:Q801	AMP	215.4999		213.9844	
B:Q802	AMP	183.0963		182.7984	
B:Q803	AMPS	117.9993		122.2937	104.2937
I:Q847	AMP	171.4966		169.8438	
I:QD	Amps			205.9111	
I:QF	Amps			210.4282	
K1PGD_F		4.656277		4.646277	
K1PGD_D		-4.656277		-4.646277	


➤ B:Q803

Value closer to the setting.


➤ Shunt current I:Q851S

A troubled location to negotiate.  
Close to MiniBoone switch magnet.



# MI8 line dispersion function







# MI8 line eta, skew quad in MPØ2 at 4KG/m




# Vertical plane position vs $\Delta p/p$



# Vert position, data & calculation



# Injection matching, dispersion function





# Issues on vertical dispersion function


---

- **Skew quad component in MPØ2**
  - 4 KG/meter appears to fit the data well.
  - What is the result of field measurement?
  - Need another dedicated study, just for MPØ2.
- **Skew sextupole contribution**
  - Signature of skew sextupole effect.
  - 1500 KG/(m<sup>2</sup>), if only from MPØ2
  - Is there other scenario?


# Fitting horizontal plane beam width sigma



# Fitting vertical plane beam width sigma



# MI injection matching, beta function



# Lattice parameters and emittances

- Horizontal emittance  
 $11.6 \pm 0.4 \pi\text{-mm-mr}$
- Vertical emittance  
 $15.9 \pm 1.7 \pi\text{-mm-mr}$
- $\sigma_p/p$ 
  - $0.74 \pm 0.04 \text{ E-3}$

```
Lattice parameters
Select: [8GeV_MI      ] as [Transfer line]
Start at element: [B00_CELL01] for [Proton      ]
*Track: [Lattice function] at ( 8      ) GeV

Lattice      Horz          Vert
  Phase: ( 33.9457)  ( 32.6266) 2π
  Beta: ( 84.673 )  ( 6.321   ) M
  Alpha: (-.353   )  (-.15     )
  eta: (-3.089  )  (.48     ) M
  etap: (-.005   )  (-.016    )

Beam
  Position: ( 4.15294)  ( 1.33111) mm
  Angle: ( .017314)  ( .031588) mr
  Emittance: ( 1.92967)  ( 2.65559) π-mm-mr
            ± .060438 ± .278517
  ΣP/P: ( .740112) ± .04214   E-3
  △P/P: ( 0        )           E-3

*Fit emittance: [Emiss & sig_p/p]
Momentum sigma from [Horizontal] plane

*Update reference orbit
Graphic window link: [None      ]
Calculation in [Matrix] order
<Exit>
```

# $\sigma_p/p$ with bunch rotation

```

Lattice parameters
Select: [8GEV_MI      ] as [Transfer line]
Start at element: [B00_CELL01] for [Proton      ]
*Track: [Lattice function] at ( 8      ) GeV


Lattice      Horz          Vert
Phase: ( 33.9634) ( 32.6418) 2π
Beta: ( 84.673 ) ( 6.321 ) M
Alpha: (-.353 ) (-.15 )
eta: (-3.089 ) (.48 ) M
etap: (-.005 ) (-.016 )

Beam
Position: ( 5.15338) ( 0      ) mm
Angle: ( .008341) ( 0      ) mr
Emittance: ( 1.91825) ( 0      ) π-mm-mm
± .125985 ±
ΣP/P: ( .477125) ± .11657 E-3
△P/P: ( 0      ) E-3

```

$\sigma_p/p$  in %

Bunch Rotation	No	Yes	
MW profiles	.074	.048	1-σ
WCM data	.18	.12	95%



# Stability with septum magnet MPØ2



➤ MPØ2 setting not changed

➤ Orbit difference:


4/12/04 - 4/06/04

➤ Calculation:


+90 amps on MPØ2



# MPØ2 error signal



Setting = 22411 amps  
Error ~ 75 amp



Setting = 22567 amps  
Error ~ 130 amps